

# Receiving Report

Date:

13/6/27

Batch No:

M126153

Supplier:

ME TA Co Ltd

Dart P/O:

20199

Packing Slip:

Yes

☒ No

Invoice:

Yes

☒ No

Receipt:

Cash

☒ Cr

Release Note Attached:

Yes

☒ No

N/A

Waybill Attached:

Yes

☒ No

N/A

Shipment Complete:

Yes

☒ No

N/A

QC6 Inspection

13/6/28

N/A

Work Order

N/A

## Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12

[Signature]

Production/Admin:

Date

Received/Costing

Initial

13/6/27  
[Signature]

Location

\_\_\_\_\_

## Page 1 of 1

All amounts are calculated in domestic currency.

13 to 6/27/2013

## All Currencies

Grouped by Vendor ID

[illegible]



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:1796462

<b>Ship From:</b> A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
<b>Date Shipped</b> 25-JUN-2013	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOU LIN	<b>BOL No</b> 1796462-2			

<b>Shipment Details</b>		<b>Final Destination Branch - MON</b>	
-------------------------	--	---------------------------------------	--

<b>Order No</b> 2902154	<b>Line No</b> 4	<b>Item No</b> 5062	<b>Description</b> 0.7500.2.5000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156 .0000 SPECIFICATIONS: ASTM A276				
<b>Purchase Order No</b> 20199	<b>Part Number</b>		<b>Ordered Qty</b> 12.00 FT	<b>Invoice Qty</b> 10.9167 FT			
<b>Details</b> SHIP AS SOON AS POSSIBLE END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS ECCN # EAR99							
<b>Delivery No.</b> 118837857	<b>Mill</b> VALBRUNA CORPORATION	<b>Heat Number</b> 252919	<b>Mech Id</b>	<b>PCS</b> 1	<b>Width (IN)</b>	<b>Length (IN)</b> 131.0000	<b>Shipped Qty(LBS)</b> 69.5938

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.							
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.							
Reviewed by Authorized Castle Metals Representative:				<b>Date:</b>		<b>Name:</b>	

# Acciaierie Valbruna S.p.A.



**CERTIFICATO DI COLLAUDO**  
**ABNAHMEPRUEFZEUGNIS**  
**INSPECTION CERTIFICATE**  
**CERTIFICAT DE RECEPTION**  
**EN 10204 (2005) , 3.1**

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Client  
**VALBRUNA STAINLESS INC.**  
2400 TAYLOR STREET WEST  
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**  
Hersteller/Usine productrice

Stato di fornitura: Descaled Annealed Hotrolled  
Lieferzustand/Delivery state/Etat de livraison

Avviso di Spedizione: D-VI11008851  
Lieferanweisung/Packing list/B.L.

Ordine nr: 29793 STOCK CAROL STR  
Bestell./Your order/Commande

Tipo di Elaborazione: E+AOD  
Erschmelzungsart/Melting process/Mode d'elaboration

Certificato nr: MEST032120/2011/  
Prüfung/Test/Essai

Conferma ordine nr: EI11002595  
Works/Our Order/Ref. nr.

Marchio di Fabbrica:  
Zeichen des Werkes/  
Trade mark  
Sigle de l'usine productrice



Funzione del Collaudatore:  
Stempel des Werkesachverständigen  
Inspector's stamp/Poligon de l'essayeur



Sono state soddisfatte tutte le condizioni richieste  
Die gestellten Anforderungen sind erfüllt  
The material has been furnished in accordance with the requirements  
Le matériel a été livré conforme aux exigences

Controllo antimescolanza: OK  
Verwechslungsprüfung: spektrometrisch durchgeführt  
Antikibing testing performed: OK  
Contrôle antimélange fait: r.e.s.

Controllo visivo e dimensionale: soddisfa le esigenze  
Besichtigung und Ausmessung: ohne Beanstandung  
Visual inspection and dimensional check/satisfactory  
Contrôle visuel et dimensionnel: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s., 4.3 by TUEV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

*Handwritten signature and date: 13/06/28*

## Castle Metals FP

HEAT NUMBER 252919  
MECHANICAL ID \_\_\_\_\_  
ITEM CODE 5062  
LOT NUMBER \_\_\_\_\_  
PO NUMBER 115333  
RECEIPT DATE 5/3/11  
SUPPLIER Valbruna  
SPECIFICATION N  
LCS \_\_\_\_\_  
COMMENT \_\_\_\_\_  
APPROVED [Signature]

enza, 24/03/11

IOS  
I. MCERJ

Il collaudatore di stabilimento / der Werksachverständiger / Works Inspector / L'agent d'usine

M. Rizzotto *[Signature]*

Pagina - 2 di 2

# Acciaierie Valbruna S.p.A.



36100 VICENZA (Italia) - Viale della scienza, 25 z.l.  
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Clienti / Besteller/Purchaser/Client  
**VALBRUNA STAINLESS INC.**  
2400 TAYLOR STREET WEST  
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**  
Hersteller/Usine producteur

Stato di fornitura: Descaled Annealed Hotrolled  
Lieferzustand/Delivery state/Etat de livraison

Avviso di Spedizione: D-VI11009851  
Lieferanzahl/Packing list/B.L.

Ordine nr: 29793 STOCK CAROL STR  
Bestell/Your order/Commande

Tipo di Elaborazione: E-AOD  
Erschmelzungsort/Melting process/Mode d'elaboration

## CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2005) , 3.1

Certificato nr: MEST032120/2011/  
Prüfung/Test/Essai

Conferma ordine nr: EI11002595  
Werte/Our Order/Ref. nr.

Marchio di Fabbrica:  
Zeichen des Lieferwerkes  
Trade mark  
Sigle de l'usine productrice

Punzone del Collaudatore:  
Stempel des Werksachverständigen  
Inspector's stamp/Poligon de l'assesseur



Specifiche:  
Anforderungen / Requirements / Exigences

VSI 0 304/304L A  
AMS-QQ-S-763 B 304/304L A  
ASME SA278 2010 S30400/03 A (2)  
ASTM A182 2010A S30400/03 A (8)  
ASTM A276 2010 S30400/03 A  
ASTM A370 2010  
MIL-S-882 B/1 304/304L

AMS 5639 H S30400 A  
ASME SA182 2010 S30400/03 A (0)  
ASME SA320 2010 B8 CLASS1 (3)  
ASTM A193 2010A B8 CLASS1  
ASTM A314 2008 S30400/03  
ASTM A473 2001 S30400/03 (8)  
NACE MR0175\* 2003 S30400/03 A (7)

AMS 5647 H S30403 A  
ASME SA193 2010 B8 CLASS1 (1)  
ASME SA479 2010 S30400/03 A (4)  
ASTM A282 2010 PRACTICE E  
ASTM A320 2010 B8 CLASS1  
ASTM A479 2010A S30400/03 A  
QQ-S-763 F 304/304L A

(0) SEC.II PT.A 2010 EDITION  
(1) SEC.II PT.A 2010 EDITION  
(3) SEC.II PT.A 2010 EDITION  
(5) For products machined directly from bar refer to ASTM A479.  
(7) \* ISO 15156-3

(0) For products machined directly from bar refer to ASME SA479  
(2) SEC.II PT.A 2010 EDITION  
(4) SEC.II PT.A 2010 EDITION  
(6) Chemical analysis only.

Qualità: 304/304L  
Werkstoff/Grade/Qualité

Marca: AISI

Werkstoffbezeichnung/Brand/Numéro

Punzonatura: 304/304L  
Kennzeichnung/Marking/Marquage

Pos. nr. Pos. nr. Item nr. Nr. de poste	Oggetto Gegenstand Product description Description du produit	Dimensioni - In Abmessungen Dimension Dimension	Tolleranza Toleranz Allowance Tolérance	Lunghezza - In Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.
0060	Fiat	2,5000 x 0,7500	484-09	144 / 157	252919		2,015	126400580

### TEST ALLO STATO DI FORNITURA

Test on delivery condition Prüfung auf lieferbereitem Produkt test à l'état de livraison Prueba sobre el material así como entregado

TEST	Prova/Prüfung Specimen/Proben Long. diam. Spesen Rolle Diam. Dicke Werk. diam. Spesen Long. diam. Spesen mm	°F	Pozz. Saggio Proben Temperatur °F	Snerimento Bruchgrenze Yield Stress Unter elastique Rp 0,2% k.s.l.	Snerimento Bruchgrenze Yield Stress Unter elastique Rp 0,2% k.s.l.	Resistenza Zugfestigkeit Tensile strength Résistance à traction Rm k.s.l.	Allungamento Bruchdehnung Elongation Allongement E 4d %	Strizione Bruchdehnung Reduction of area Striction RA %	Resilienza Kerbschlagenergie Impact Value Resilience	Durezza Härte Hardness Dureté HB
Valori richiesti 1 Anforderungen/Request ed values Valeur demandées		min max		30	-	75 115	- 40	- 50	-	140 235
A	12,5	68 L		46		91	56	65		182

TEST	min	max
A Grain size for ASTM E112		6

1) L=longitudinale/Länge, T=transversale/quer, Q=transversale/quer

Mechanical properties according to ASTM A370.

### Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata/Heat Schmelze/Coulée	min max	0,030	1,00	2,00	18,00 20,00	1,00	1,00	8,00 10,50	0,040	0,020 0,030	0,100	-	-	-	-
252919	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	N %				
	0,019	0,41	1,64	18,27	0,38	0,56	8,12	0,110	0,031	0,023	0,088				

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940°F for 1 h/water.

Micro and macro etch test: OK

Intergranular corrosion test per ASTM A262 pract. E: ok.

Material is DFARS Compliant

licenza, 24/03/11

03008  
(04. MOER)

Il collaudatore di stabilimento / der Werksachverständiger / Works Inspector / L'agent d'usine

M. Rizzotto

Pagina - 1 di 2

**Castle Metals®**

A. M. Castle &amp; Co.

**PACKING SLIP/  
CERTIFICATE OF CONFORMANCE**

Page 1 of 1

Shipment No:1796462

Ship From:		Sold To:	Ship To:	Deliver To:
A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped	F.O.B.	Freight Terms	Carrier	BOL No
25-JUN-2013	ORIGIN	Prepaid	MANITOULIN	1796462-2

Shipment Details		Final Destination Branch - MON
------------------	--	--------------------------------

Order No	Line No	Item No	Description				
2902154	6	15043	0.3750.RD.304/304L STAINLESS.CF.ANN.132.0000-156.0000 SPECIFICATIONS: ASTM A276				
Purchase Order No		Part Number	Ordered Qty	Invoice Qty			
20199			48.00 FT	48.3333 FT			
<div>SHIP AS SOON AS POSSIBLE END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS ECCN # EAR99</div> <div>9-2 13/06/28</div>							
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
118837813	NORTH AMERICAN STAINLESS	F3Y7		4		145.0000	18.1733

These commodities/technologies are subject to US Export Administration &amp; US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle &amp; Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date: Name:

OK 13/06/28

Castle Metals FP

HEAT NUMBER E347  
MECHANICAL ID \_\_\_\_\_  
ITEM CODE 15043  
LOT NUMBER \_\_\_\_\_  
PO NUMBER 205140  
RECEIPT DATE 2-28-13  
SUPPLIER NAS  
SPECIFICATION \_\_\_\_\_  
LCS N  
COMMENT \_\_\_\_\_  
APPROVED [Signature]



NORTH AMERICAN  
STAINLESS

## METALLURGICAL TEST REPORT

6870 Highway 42 East  
Ghent, KY 41045-9615  
(502) 347-6000

Certificate: 813864 11 Mail To:

A.M. CASTLE AND COMPANY  
1420 KENSINGTON ROAD-SUITE 220  
OAK BROOK IL 60523

Ship To:

A.M. CASTLE AND COMPANY  
3400 NORTH WOLF ROAD  
FRANKLIN PARK IL 60131

Date: 2/26/2013 Page: 1 Of 1

Steel: 304/304L  
Finish: Cold Draw  
Dia/Thk: .3750 in  
Leg Length:  
Length: 144.00 in  
Corrosion: ASTM A262-10 Prac A/E OK

Customer: 0032 001

NAS Order: LN 93744 1

Your Order: 205140

Item Code: 15043

### PRODUCT DESCRIPTION:

ASTM A193/10a-ASME SA193/10 CL 1 GR B8  
GRAIN SIZE= 4-6

Round Bar, Annealed, Cold Draw

UNS 30400/30403 EN 10204 3.1, ASTM A484/11

ASTM A276/10, ASTM A479/11, ASTM A182/10 CHEM ONLY.

ASME SAA79/10a, ASME SA182/10 CHEM ONLY

AMS 5639H, AMS 5647J, AMS QQS-763B, QQS-763F, ASTM F899/11

SOLUTION ANNEAL TEMP 1900F MIN

### REMARKS:

COMPLIES W/REQUIREMENTS OF DPAF 252.225-7014A-1 EU DIRECTIVE  
2002.95.BC.ROHS. EAF+AOD+CC. NO WELD REPAIR. MELTED AND MFG  
IN USA FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight
BF22400	4007						

### CHEMICAL ANALYSIS

CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan) Chemical Analysis per ASTM A751/08

Heat	Supplier #	CM	C %	CO %	CR %	CU %	MN %	MO %	N %	NI %	P %	S %
F3Y7		US	.011	.15	18.18	.49	1.42	.37	.071	8.59	.034	.0235
SI %												
.25												

### MECHANICAL PROPERTIES

1 d	HB	.2YS	UTS	RA	Elong
o 1	NO.	KSI	KSI	%	% 2"
BF22400	RL	217.0	85.72	106.31	71.80
					46.00

*Out*  
13/06/20

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS

Technical  
Dept. Mgr.

ERIC HESS





Castle Metals®

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 1 of 1

Shipment No: 1796462

<b>Ship From:</b> A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
<b>Date Shipped</b> 25-JUN-2013	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOU LIN	<b>BOL No</b> 1796462-2			

<b>Shipment Details</b>	<b>Final Destination Branch - MON</b>
-------------------------	---------------------------------------

<b>Order No</b> 2902154	<b>Line No</b> 3	<b>Item No</b> 14154	<b>Description</b> 0.5000.RD.303.STAINLESS.CF.ANN.132.0000-156.0000 SPECIFICATIONS: ASTM A582			
<b>Purchase Order No</b> 20199	<b>Part Number</b>		<b>Ordered Qty</b> 108.00 FT	<b>Invoice Qty</b> 108.7500 FT		
<b>Details</b> SHIP AS SOON AS POSSIBLE END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS ECCN # EAR99						
<b>Delivery No.</b> 118837813	<b>Mill</b> NORTH AMERICAN STAINLESS	<b>Heat Number</b> F9B4	<b>Mech Id</b>	<b>PCS</b> 9	<b>Width (IN)</b>	<b>Length (IN)</b> 145.0000
					<b>Shipped Qty(LBS)</b> 72.6450	

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date: Name:



NORTH AMERICAN  
STAINLESS

# METALLURGICAL TEST REPORT

6870 Highway 42 East  
Ghent, KY 41045-9615  
(502) 347-6000

Certificate: 824462 15	Mail To: A.M. CASTLE AND COMPANY 1420 KENSINGTON ROAD-SUITE 220 OAK BROOK IL 60523	Ship To: A.M. CASTLE AND COMPANY 3400 NORTH WOLF ROAD FRANKLIN PARK IL 60131	Date: 4/04/2013	Page: 1 Of 1
Customer: 0032 001			Steel: 303	
NAS Order: LN 96407 1			Finish: Cold Draw	
Your Order: 212767			Dia/Thk: .5000 in	
			Leg Length: 144.00 in	
			Length: 144.00 in	
			Corrosion:	

## PRODUCT DESCRIPTION:

Round Bar, Annealed, Cold Draw  
ASTM A582/12 EN 10204 3.1, ASTM A84/11  
AMS 5640U TYPE 1, QOS-764B CONDITION A  
SOLUTION ANNEAL TEMP 1900F MIN

## REMARKS:

COMPLIES W/REQUIREMENTS OF DPAR 252.225-7014A-1 EU DIRECTIVE  
2011/65/EU ROHS. KAP+AOP+CC. NO WELD REPAIR. MELTED AND MFG  
IN USA FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

Item Code: 14154

Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight
BF31712 1790	BF31736 2322								

## CHEMICAL ANALYSIS

CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

Chemical Analysis per ASTM A751/08

Heat	Supplier #	CM	C %	CO %	CR %	CU %	MN %	MO %	N %	NI %	P %	S %
F9B4	US		.050	.11	17.22	.35	1.83	.26	.052	8.47	.031	.3200

SI %	
.37	
Heat Number	F9B4
Mechanical ID	14154

## MECHANICAL PROPERTIES

1 d	HB	.2YS	KSI	UTS	KSI	RA	%	Elng	% 2"
BF31712 R L	204.0	72.84	101.87	101.87	101.87	57.19	57.19	44.25	44.25
BF31736 R L	204.0	72.84	101.87	101.87	101.87	57.19	57.19	44.25	44.25

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS

APPROVED  
Technical  
Dept. Mgr.  
ERIC HESS



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO20199**

Purchase Order Date 6/17/2013

PO Print Date 6/17/2013

Page Number 1 of 2

**Order From :** VC-MET001  
METAUX CASTLE  
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720  
P.O. BOX 4090 STN A  
TORONTO, ON M5W OE9  
CA

**Ship To :** DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**FAKED**  
6/13/2013

**Contact Name**  
**Vendor Phone** 514 694 9575  
  
**Ship To Contact**  
**Ship To Phone**  
**Ship Via:** Yours ppd  
**Ship Acct:**

**Buyer** Chantal Lavoie  
**Customer POID**  
**Customer Tax #** 10127-2607  
**Terms** Net 30  
**Currency** CAD  
**FOB** Destination-Collect

M/28 153

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	List Price	Disc %	Discounted Unit Price	Extended Price
1	M303R0.500  MATERIAL: 303 SS ROUND BAR (NOTE: AISI 304/316 NOT ACCEPTABLE) AS PER ASTM A582	303 Round Bar 0.500"	6/28/2013 Yes 6/28/2013		108.00 f 108.76				\$182.52
Line Total:									\$182.52
2	M304B0.750X2.500  MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE (NOTE: AISI 303 NOT ACCEPTABLE) AS PER ASTM A276 OR ASTM A240	304 BAR .750 X 2.50	6/28/2013 Yes 6/28/2013		12.00 f 10.9167				\$256.32
Line Total:									\$256.32
3	M304R0.375  MATERIAL: AISI 304/316 SS ROUND BAR ( NOTE: AISI 303 NOT ACCEPTABLE) AS PER ASTM A276	304 ROUND BAR 0.375	6/28/2013 Yes 6/28/2013		48.00 f 48.3333				\$45.12

**Note:**

6/17/2013



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO20199**

Purchase Order Date 6/17/2013

PO Print Date 6/17/2013

Page Number 2 of 2

**Order From :** VC-MET001  
METAUX CASTLE  
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720  
P.O. BOX 4090 STN A  
TORONTO, ON M5W OE9  
CA

**Ship To :** DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**Contact Name**  
**Vendor Phone** 514 694 9575  
  
**Ship To Contact**  
**Ship To Phone**  
**Ship Via:** Yours ppd  
**Ship Acct:**

**Buyer** Chantal Lavoie  
**Customer POID**  
**Customer Tax #** 10127-2607  
**Terms** Net 30  
**Currency** CAD  
**FOB** Destination-Collect

**Line Total:** \$45.12

**PO Total:** \$483.96

MATERIAL CERTIFICATION  
REQ'D UPON DELIVERY

*CL* *[Signature]*

Note: Pricing listed above is as per contract agreement between Dart Aerospace and the respective manufacturer.  
No substitution or deviation without consent.  
Certificate of Conformity or Material Certification required ☒ YES ☐ NO

Change Nbr: 2 Change Date: 6/17/2013